



# BEARING CORP.OF AMERICA

## TIMKEN YCJT 15/16 SGT Flange Block Bearings



Bearing No. YCJT 15/16 SGT

YCJT 15/16 SGT Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	2.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	0.81
EAN	0087796266100
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	29/64 Inch
Relubricatable	Yes
Insert Part Number	GY1015KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	2 Bolt Flange Block; 15/16" Bore; 3.9" Bolt Circle; 3-29/32" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 1-11/32" Length Thru Bore; Relubricatable;



## BEARING CORP.OF AMERICA

	Double
Other Features	Single Row   Normal Duty   Wide Inner Race   Corrosion Resistant   Powder Coated Epoxy Finish
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Manufacturer Item Number	YCJT 15/16 SGT
Weight / LBS	1.793
Cartridge Pilot Depth	0 Inch   0 Millimeter
Bolt Spacing	3.906 Inch   99.2 Millimeter
D	1.344 Inch   34.13 Millimeter
Nominal Bolt Circle Diameter Round	3.9 Inch   99 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
d	0.938 Inch   23.825 Millimeter
Shaft Size d	15/16 in
Bearing Type	Ball Bearing
Dimension E	1.575 in
Inside Ring Outside Diameter	1.331 in
Series	Industrial
Weight	1.350 lb
Seal Type	Shroud Seal
Total Length H	123.8 mm
Total Height L	69.9 mm
Housing Width A	1.098 in
Bolt Hole Spacing J	99.2 mm



## BEARING CORP.OF AMERICA

Bolt Hole Size N	11.5 mm
Flange Thickness A1	12.70 mm
Center of Bearing from Housing End A2	19.4 mm
Inside Ring Width B	34.90 mm
Center of Bearing from Bearing End S	19.4 mm
Static Load Rating	1750 lbf
Dynamic Load Rating	3490 lbf